


**WHAT IS CLAIMED AS NEW AND DESIRED TO BE SECURED BY LETTER
PATENT OF UNITED STATES IS:**

1. A compound of formula I:



I

or a stereoisomer or pharmaceutically acceptable salt thereof,
wherein;





ring D is selected from $-\text{CH}_2\text{N}=\text{CH}-$, $-\text{CH}_2\text{CH}_2\text{N}=\text{CH}-$, a 5-6
membered aromatic system containing from 0-2 heteroatoms
selected from the group N, O, and S;

ring D is substituted with 0-2 R, provided that when ring D is
unsubstituted, it contains at least one heteroatom;

ring E contains 0-2 N atom and is substituted by 0-1 R

R is selected from Cl, F, Br, I, OH, C_{1-3} alkoxy, NH_2 , $\text{NH}(\text{C}_{1-3}$
alkyl), $\text{N}(\text{C}_{1-3}$ alkyl) $_2$, CH_2NH_2 , $\text{CH}_2\text{NH}(\text{C}_{1-3}$ alkyl),
 $\text{CH}_2\text{N}(\text{C}_{1-3}$ alkyl) $_2$, $\text{CH}_2\text{CH}_2\text{NH}_2$, $\text{CH}_2\text{CH}_2\text{NH}(\text{C}_{1-3}$ alkyl), and
 $\text{CH}_2\text{CH}_2\text{N}(\text{C}_{1-3}$ alkyl) $_2$;

M is selected from the group:



COFFEE



[illegible]

J^a is NH or NR^{1a};

Z is selected from a bond, C₁₋₄ alkylene, (CH₂)_rO(CH₂)_r,
(CH₂)_rNR³(CH₂)_r, (CH₂)_rC(O)(CH₂)_r, (CH₂)_rC(O)O(CH₂)_r,

$(CH_2)_rOC(O)(CH_2)_r$, $(CH_2)_rC(O)NR^3(CH_2)_r$,
 $(CH_2)_rNR^3C(O)(CH_2)_r$, $(CH_2)_rOC(O)O(CH_2)_r$,
 $(CH_2)_rOC(O)NR^3(CH_2)_r$, $(CH_2)_rNR^3C(O)O(CH_2)_r$,
 $(CH_2)_rNR^3C(O)NR^3(CH_2)_r$, $(CH_2)_rS(O)_p(CH_2)_r$,
 $(CH_2)_rSO_2NR^3(CH_2)_r$, $(CH_2)_rNR^3SO_2(CH_2)_r$, and
 $(CH_2)_rNR^3SO_2NR^3(CH_2)_r$, provided that Z does not form a N-
 N, N-O, N-S, NCH₂N, NCH₂O, or NCH₂S bond with ring M or
 group A;

- 10 R^{1a} and R^{1b} are independently absent or selected from
 $-(CH_2)_r-R^{1'}$, $-CH=CH-R^{1'}$, $NCH_2R^{1''}$, $OCH_2R^{1''}$, $SCH_2R^{1''}$,
 $NH(CH_2)_2(CH_2)_tR^{1'}$, $O(CH_2)_2(CH_2)_tR^{1'}$, and $S(CH_2)_2(CH_2)_tR^{1'}$;

alternatively, R^{1a} and R^{1b}, when attached to adjacent carbon
 atoms, together with the atoms to which they are attached
 form a 5-8 membered saturated, partially saturated or
 unsaturated ring substituted with 0-2 R⁴ and which
 contains from 0-2 heteroatoms selected from the group
 consisting of N, O, and S;

alternatively, when Z is C(O)NH and R^{1a} is attached to a ring
 carbon adjacent to Z, then R^{1a} is a C(O) which replaces
 the amide hydrogen of Z to form a cyclic imide;

- 25 R^{1'} is selected from H, C₁₋₃ alkyl, F, Cl, Br, I, -CN, -CHO,
 $(CF_2)_rCF_3$, $(CH_2)_rOR^2$, NR^2R^{2a} , $C(O)R^{2c}$, $OC(O)R^2$,
 $(CF_2)_rCO_2R^{2c}$, $S(O)_pR^{2b}$, $NR^2(CH_2)_rOR^2$, $CH(=NR^{2c})NR^2R^{2a}$,
 $NR^2C(O)R^{2b}$, $NR^2C(O)NHR^{2b}$, $NR^2C(O)_2R^{2a}$, $OC(O)NR^{2a}R^{2b}$,
 $C(O)NR^2R^{2a}$, $C(O)NR^2(CH_2)_rOR^2$, $SO_2NR^2R^{2a}$, $NR^2SO_2R^{2b}$, C₃₋₆
 30 carbocyclic residue substituted with 0-2 R⁴, and 5-10
 membered heterocyclic system containing from 1-4
 heteroatoms selected from the group consisting of N, O,
 and S substituted with 0-2 R⁴;

- 35 R^{1''} is selected from H, $CH(CH_2OR^2)_2$, $C(O)R^{2c}$, $C(O)NR^2R^{2a}$,
 $S(O)R^{2b}$, $S(O)_2R^{2b}$, and $SO_2NR^2R^{2a}$;

A²
cont
5
R², at each occurrence, is selected from H, CF₃, C₁₋₆ alkyl, benzyl, C₃₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

10
R^{2a}, at each occurrence, is selected from H, CF₃, C₁₋₆ alkyl, benzyl, phenethyl, C₃₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

15
R^{2b}, at each occurrence, is selected from CF₃, C₁₋₄ alkoxy, C₁₋₆ alkyl, benzyl, C₃₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

20
R^{2c}, at each occurrence, is selected from CF₃, OH, C₁₋₄ alkoxy, C₁₋₆ alkyl, benzyl, C₃₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

25
alternatively, R² and R^{2a}, together with the atom to which they are attached, combine to form a 5 or 6 membered saturated, partially saturated or unsaturated ring substituted with 0-2 R^{4b} and containing from 0-1 additional heteroatoms selected from the group consisting of N, O, and S;
30

R³, at each occurrence, is selected from H, C₁₋₄ alkyl, and phenyl;

35
R^{3a}, at each occurrence, is selected from H, C₁₋₄ alkyl, and phenyl;

Q2
cont
R^{3b}, at each occurrence, is selected from H, C₁₋₄ alkyl, and phenyl;

5 R^{3c}, at each occurrence, is selected from C₁₋₄ alkyl, and phenyl;

A is selected from:

10 C₃₋₁₀ carbocyclic residue substituted with 0-2 R⁴, and 5-10 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R⁴;

B is selected from: H, Y, and X-Y;

15 X is selected from C₁₋₄ alkylene, -CR²(CR²R^{2b})(CH₂)_t-, -C(O)-, -C(=NR¹)-, -CR²(NR¹R²)-, -CR²(OR²)-, -CR²(SR²)-, -C(O)CR²R^{2a}-, -CR²R^{2a}C(O)-, -S(O)_p-, -S(O)_pCR²R^{2a}-, -CR²R^{2a}S(O)_p-, -S(O)₂NR²-, -NR²S(O)₂-, -NR²S(O)₂CR²R^{2a}-, -CR²R^{2a}S(O)₂NR²-, -NR²S(O)₂NR²-, -C(O)NR²-, -NR²C(O)-, -C(O)NR²CR²R^{2a}-, -NR²C(O)CR²R^{2a}-, -CR²R^{2a}C(O)NR²-, -CR²R^{2a}NR²C(O)-, -NR²C(O)O-, -OC(O)NR²-, -NR²C(O)NR²-, -NR²-, -NR²CR²R^{2a}-, -CR²R^{2a}NR²-, O-, -CR²R^{2a}O-, and -OCR²R^{2a}-;

25 Y is selected from:

(CH₂)_rNR²R^{2a}, provided that X-Y do not form a N-N, O-N, or S-N bond,

30 C₃₋₁₀ carbocyclic residue substituted with 0-2 R^{4a}, and 5-10 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4a};

35 R⁴, at each occurrence, is selected from H, =O, (CH₂)_rOR², F, Cl, Br, I, C₁₋₄ alkyl, -CN, NO₂, (CH₂)_rNR²R^{2a}, (CH₂)_rC(O)R^{2c}, NR²C(O)R^{2b}, C(O)NR²R^{2a}, NR²C(O)NR²R^{2a}, CH(=NR²)NR²R^{2a}, CH(=NS(O)₂R⁵)NR²R^{2a}, NHC(=NR²)NR²R^{2a}, C(O)NHC(=NR²)NR²R^{2a}, SO₂NR²R^{2a}, NR²SO₂NR²R^{2a}, NR²SO₂-C₁₋₄ alkyl, NR²SO₂R⁵, S(O)_pR⁵, (CF₂)_rCF₃, NCH₂R¹-, OCH₂R¹-,

a2
cont
SCH₂R^{1''}, N(CH₂)₂(CH₂)_tR^{1'}, O(CH₂)₂(CH₂)_tR^{1'}, and
S(CH₂)₂(CH₂)_tR^{1'},

alternatively, one R⁴ is a 5-6 membered aromatic heterocycle
containing from 1-4 heteroatoms selected from the group
consisting of N, O, and S;

provided that if B is H, then R⁴ is other than tetrazole,
C(O)-alkoxy, and C(O)NR²R^{2a};

R^{4a}, at each occurrence, is selected from H, =O, (CH₂)_rOR²,
(CH₂)_r-F, (CH₂)_r-Br, (CH₂)_r-Cl, I, C₁₋₄ alkyl, -CN, NO₂,
(CH₂)_rNR²R^{2a}, (CH₂)_rNR²R^{2b}, (CH₂)_rC(O)R^{2c}, NR²C(O)R^{2b},
C(O)NR²R^{2a}, C(O)NH(CH₂)₂NR²R^{2a}, NR²C(O)NR²R^{2a},
CH(=NR²)NR²R^{2a}, NHC(=NR²)NR²R^{2a}, SO₂NR²R^{2a}, NR²SO₂NR²R^{2a},
NR²SO₂-C₁₋₄ alkyl, C(O)NHSO₂-C₁₋₄ alkyl, NR²SO₂R⁵, S(O)_pR⁵,
and (CF₂)_rCF₃;

alternatively, one R^{4a} is a 5-6 membered aromatic heterocycle
containing from 1-4 heteroatoms selected from the group
consisting of N, O, and S and substituted with 0-1 R⁵;

R^{4b}, at each occurrence, is selected from H, =O, (CH₂)_rOR³, F,
Cl, Br, I, C₁₋₄ alkyl, -CN, NO₂, (CH₂)_rNR³R^{3a},
(CH₂)_rC(O)R³, (CH₂)_rC(O)OR^{3c}, NR³C(O)R^{3a}, C(O)NR³R^{3a},
NR³C(O)NR³R^{3a}, CH(=NR³)NR³R^{3a}, NH³C(=NR³)NR³R^{3a}, SO₂NR³R^{3a},
NR³SO₂NR³R^{3a}, NR³SO₂-C₁₋₄ alkyl, NR³SO₂CF₃, NR³SO₂-phenyl,
S(O)_pCF₃, S(O)_p-C₁₋₄ alkyl, S(O)_p-phenyl, and (CF₂)_rCF₃;

R⁵, at each occurrence, is selected from CF₃, C₁₋₆ alkyl,
phenyl substituted with 0-2 R⁶, and benzyl substituted
with 0-2 R⁶;

R⁶, at each occurrence, is selected from H, OH, (CH₂)_rOR², F,
Cl, Br, I, C₁₋₄ alkyl, CN, NO₂, (CH₂)_rNR²R^{2a},
(CH₂)_rC(O)R^{2b}, NR²C(O)R^{2b}, NR²C(O)NR²R^{2a}, CH(=NH)NH₂,
NHC(=NH)NH₂, SO₂NR²R^{2a}, NR²SO₂NR²R^{2a}, and NR²SO₂C₁₋₄ alkyl;

n is selected from 0, 1, 2, and 3;

m is selected from 0, 1, and 2;

p is selected from 0, 1, and 2;

r is selected from 0, 1, 2, and 3;

s is selected from 0, 1, and 2; and,

t is selected from 0 and 1.


2. A compound according to Claim 1, wherein:

D-E is selected from the group:


1-aminoisoquinolin-7-yl; 1,3-diaminoisoquinolin-7-yl; 1,4-diaminoisoquinolin-7-yl; 1,5-diaminoisoquinolin-7-yl; 1,6-diaminoisoquinolin-7-yl; 1-amino-3-hydroxyisoquinolin-7-yl; 1-amino-4-hydroxyisoquinolin-7-yl; 1-amino-5-hydroxyisoquinolin-7-yl; 1-amino-6-hydroxyisoquinolin-7-yl; 1-amino-3-methoxyisoquinolin-7-yl; 1-amino-4-methoxyisoquinolin-7-yl; 1-amino-5-methoxyisoquinolin-7-yl; 1-amino-6-methoxyisoquinolin-7-yl; 1-hydroxyisoquinolin-7-yl; 4-aminoquinazol-6-yl; 2,4-diaminoquinazol-6-yl; 4,7-diaminoquinazol-6-yl; 4,8-diaminoquinazol-6-yl; 1-aminophthalaz-7-yl; 1,4-diaminophthalaz-7-yl; 1,5-diaminophthalaz-7-yl; 1,6-diaminophthalaz-7-yl; 4-aminopterid-6-yl; 2,4-aminopterid-6-yl; 4,6-diaminopterid-6-yl; 8-amino-1,7-naphthyrid-2-yl; 6,8-diamino-1,7-naphthyrid-2-yl; 5,8-diamino-1,7-naphthyrid-2-yl; 4,8-diamino-1,7-naphthyrid-2-yl; 3,8-diamino-1,7-naphthyrid-2-yl; 5-amino-2,6-naphthyrid-3-yl; 5,7-diamino-2,6-naphthyrid-3-yl; 5,8-diamino-2,6-naphthyrid-3-yl; 1,5-diamino-2,6-naphthyrid-3-yl; 5-amino-1,6-naphthyrid-3-yl; 5,7-diamino-1,6-naphthyrid-3-yl; 5,8-diamino-1,6-naphthyrid-3-yl; 2,5-diamino-1,6-naphthyrid-3-yl; 3-aminoindazol-5-yl; 3-

hydroxyindazol-5-yl; 3-aminobenzisoxazol-5-yl; 3-
hydroxybenzisoxazol-5-yl; 3-aminobenzisothiazol-5-yl; 3-
hydroxybenzisothiazol-5-yl; 1-amino-3,4-
dihydroisoquinolin-7-yl; and, 1-aminoisoindol-6-yl;

M is selected from the group:




Q2
Cont



Z is selected from $(CH_2)_rC(O)(CH_2)_r$, $(CH_2)_rC(O)O(CH_2)_r$,
 $(CH_2)_rC(O)NR^3(CH_2)_r$, $(CH_2)_rS(O)_p(CH_2)_r$, and
 $(CH_2)_rSO_2NR^3(CH_2)_r$; and,

Y is selected from one of the following carbocyclic and
heterocyclic systems which are substituted with 0-2 R^{4a} ;
phenyl, piperidinyl, piperazinyl, pyridyl,
pyrimidyl, furanyl, morpholinyl, thiophenyl, pyrrolyl,
pyrrolidinyl, oxazolyl, isoxazolyl, thiazolyl,
isothiazolyl, pyrazolyl, imidazolyl, oxadiazole,
thiadiazole, triazole, 1,2,3-oxadiazole, 1,2,4-
oxadiazole, 1,2,5-oxadiazole, 1,3,4-oxadiazole, 1,2,3-
thiadiazole, 1,2,4-thiadiazole, 1,2,5-thiadiazole, 1,3,4-
thiadiazole, 1,2,3-triazole, 1,2,4-triazole, 1,2,5-
triazole, 1,3,4-triazole, benzofuran, benzothiofuran,
indole, benzimidazole, benzoxazole, benzthiazole,
indazole, benzisoxazole, benzisothiazole, and
isoindazole;

Y may also be selected from the following bicyclic heteroaryl
ring systems:



K is selected from O, S, NH, and N.

5


3. A compound according to Claim 2, wherein:

D-E is selected from the group:

1-aminoisoquinolin-7-yl; 1,3-diaminoisoquinolin-7-yl; 1,4-diaminoisoquinolin-7-yl; 1,5-diaminoisoquinolin-7-yl; 1,6-diaminoisoquinolin-7-yl; 1-hydroxy-isoquinolin-7-yl; 4-aminoquinazol-6-yl; 2,4-diaminoquinazol-6-yl; 4,7-diaminoquinazol-6-yl; 4,8-diaminoquinazol-6-yl; 1-aminophthalaz-7-yl; 1,4-diaminophthalaz-7-yl; 1,5-diaminophthalaz-7-yl; 1,6-diaminophthalaz-7-yl; 4-aminopterid-6-yl; 8-amino-1,7-naphthyrid-2-yl; 5-amino-1,6-naphthyrid-3-yl; 5-amino-2,6-naphthyrid-3-yl; 3-aminobenzisoxazol-5-yl; 3-aminobenzisothiazol-5-yl; 1-amino-3,4-dihydroisoquinolin-7-yl; and, 1-aminoisoindol-6-yl;

M is selected from the group:

2a
cont



Z is selected from $(CH_2)_rC(O)(CH_2)_r$ and $(CH_2)_rC(O)NR^3(CH_2)_r$; and,

Y is selected from one of the following carbocyclic and heterocyclic systems which are substituted with 0-2 R^{4a} ;

phenyl, piperidinyl, piperazinyl, pyridyl, pyrimidyl, furanyl, morpholinyl, thiophenyl, pyrrolyl, pyrrolidinyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, oxadiazole, thiadiazole, triazole, 1,2,3-oxadiazole, 1,2,4-oxadiazole, 1,2,5-oxadiazole, 1,3,4-oxadiazole, 1,2,3-thiadiazole, 1,2,4-thiadiazole, 1,2,5-thiadiazole, 1,3,4-


thiadiazole, 1,2,3-triazole, 1,2,4-triazole, 1,2,5-triazole, 1,3,4-triazole, benzofuran, benzothiofuran, indole, benzimidazole, benzoxazole, benzthiazole, indazole, benzisoxazole, benzisothiazole, and isoindazole.

4. A compound according to Claim 3, wherein:

10 D-E is selected from the group:

1-aminoisoquinolin-7-yl; 1,3-diaminoisoquinolin-7-yl; 1,4-diaminoisoquinolin-7-yl; 1,5-diaminoisoquinolin-7-yl; 1,6-diaminoisoquinolin-7-yl; 1-aminophthalaz-7-yl; 1,4-diaminophthalaz-7-yl; 1,5-diaminophthalaz-7-yl; 1,6-diaminophthalaz-7-yl; 4-aminopterid-6-yl; 8-amino-1,7-naphthyrid-2-yl; 5-amino-1,6-naphthyrid-3-y; 5-amino-2,6-naphthyrid-3-yl; 3-aminobenzisoxazol-5-yl; 1-amino-3,4-dihydroisoquinolin-7-yl; and, 1-aminoisoindol-6-yl;

20 M is selected from the group:



A is selected from:

25 C₅₋₆ carbocyclic residue substituted with 0-2 R⁴, and
5-6 membered heterocyclic system containing from 1-4
heteroatoms selected from the group consisting of N, O, and S
substituted with 0-2 R⁴;

Q2
5
Y is selected from one of the following carbocyclic and heterocyclic systems which are substituted with 0-2 R^{4a}; phenyl, piperidinyl, piperazinyl, pyridyl, pyrimidyl, furanyl, morpholinyl, thiophenyl, pyrrolyl, pyrrolidinyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, benzimidazolyl, oxadiazole, thiadiazole, triazole, 1,2,3-oxadiazole, 1,2,4-oxadiazole, 1,2,5-oxadiazole, 1,3,4-oxadiazole, 1,2,3-thiadiazole, 1,2,4-thiadiazole, 1,2,5-thiadiazole, 1,3,4-thiadiazole, 1,2,3-triazole, 1,2,4-triazole, 1,2,5-triazole, and 1,3,4-triazole;

10
R², at each occurrence, is selected from H, CF₃, C₁₋₆ alkyl, benzyl, C₅₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

15
R^{2a}, at each occurrence, is selected from H, CF₃, C₁₋₆ alkyl, benzyl, phenethyl, C₅₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

20
25 R^{2b}, at each occurrence, is selected from CF₃, C₁₋₄ alkoxy, C₁₋₆ alkyl, benzyl, C₅₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

30
35 R^{2c}, at each occurrence, is selected from CF₃, OH, C₁₋₄ alkoxy, C₁₋₆ alkyl, benzyl, C₅₋₆ carbocyclic residue substituted with 0-2 R^{4b}, and 5-6 membered heterocyclic system containing from 1-4 heteroatoms selected from the group consisting of N, O, and S substituted with 0-2 R^{4b};

alternatively, R² and R^{2a}, together with the atom to which they are attached, combine to form a ring selected from

imidazolyl, morpholino, piperazinyl, pyridyl, and pyrrolidinyl, substituted with 0-2 R^{4b};

A²
Cont
R⁴, at each occurrence, is selected from H, =O, OR², CH₂OR², F, Cl, C₁₋₄ alkyl, NR²R^{2a}, CH₂NR²R^{2a}, C(O)R^{2c}, CH₂C(O)R^{2c}, C(O)NR²R^{2a}, CH(=NR²)NR²R^{2a}, CH(=NS(O)₂R⁵)NR²R^{2a}, SO₂NR²R^{2a}, NR²SO₂-C₁₋₄ alkyl, S(O)₂R⁵, and CF₃

provided that if B is H, then R⁴ is other than tetrazole, C(O)-alkoxy, and C(O)NR²R^{2a};

R^{4a}, at each occurrence, is selected from H, =O, (CH₂)_rOR², F, Cl, C₁₋₄ alkyl, NR²R^{2a}, CH₂NR²R^{2a}, NR²R^{2b}, CH₂NR²R^{2b}, (CH₂)_rC(O)R^{2c}, NR²C(O)R^{2b}, C(O)NR²R^{2a}, C(O)NH(CH₂)₂NR²R^{2a}, NR²C(O)NR²R^{2a}, SO₂NR²R^{2a}, S(O)₂R⁵, and CF₃; and,

R^{4b}, at each occurrence, is selected from H, =O, (CH₂)_rOR³, F, Cl, C₁₋₄ alkyl, NR³R^{3a}, CH₂NR³R^{3a}, C(O)R³, CH₂C(O)R³, C(O)OR^{3c}, C(O)NR³R^{3a}, CH(=NR³)NR³R^{3a}, SO₂NR³R^{3a}, NR³SO₂-C₁₋₄ alkyl, NR³SO₂CF₃, NR³SO₂-phenyl, S(O)₂CF₃, S(O)₂-C₁₋₄ alkyl, S(O)₂-phenyl, and CF₃.

5. A compound according to Claim 4, wherein: the compounds are selected from:

D-E is selected from the group:

1-aminoisoquinolin-7-yl; 1,3-diaminoisoquinolin-7-yl; 1,4-diaminoisoquinolin-7-yl; 1,5-diaminoisoquinolin-7-yl; 1,6-diaminoisoquinolin-7-yl; 8-amino-1,7-naphthyrid-2-yl; 5-amino-1,6-naphthyrid-3-y; 5-amino-2,6-naphthyrid-3-yl; 3-aminobenzisoxazol-5-yl; 1-amino-3,4-dihydroisoquinolin-7-yl; and, 1-aminoisoindol-6-yl.

6. A compound according to Claim 1, wherein the compound is selected from:

1-(1'-Amino-isoquinol-7'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

1-(1'-Amino-isoquinol-7'-yl)-3-methyl-5-[(2'-methylsulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

1-(4'-Amino-isoquinol-7'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

1-(Isoquinol-7'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

3-(1'-Amino-isoquinol-7'-yl)-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]-5-methylisoxazoline;

3-(Isoquinol-5'-yl)-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]-5-methylisoxazoline;

3-(Isoquinol-7'-yl)-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]-5-methylisoxazoline;

3-(2'-Aminobenzimidazol-5'-yl)-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]-5-methylisoxazoline;

3-(3'-Aminoindazol-5'-yl)-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]-5-methylisoxazoline;

3-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]-5-methylisoxazoline;

1-(3'-Aminobenzisoxazol-5'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

3-(1-Amino-isoquinol-7-yl)-4-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]-1,2,3-triazole;

3-(4-amino-isoquinol-7-yl)-4-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]-1,2,3-triazole;

3-(isoquinol-7-yl)-4-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]-1,2,3-triazole;

1-(Quinol-2-ylmethyl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(Quinol-2-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminoindazol-5'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3-Aminoindazole-5-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-methyl-5-[(2'-aminosulfonyl-phenyl)pyrid-2-ylaminocarbonyl]pyrazole;

1-(3'-~~Aminobenzisoxazol-5'-yl~~)-3-methyl-5-[isoquinol-7-
yl~~aminocarbonyl~~]pyrazole;

1-(1'-Aminoisoquinol-7'-yl)-3-ethyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(1'-(Aminoisiquinol-7'-yl)-3-isopropyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(2',4'-Diaminoquinazol-6'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(4'-Aminoquinazol-6'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(1'-Aminoisoquinol-7'-yl)-3-methyl-5-[4-(N-pyrrolidinylcarbonyl)phenylaminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(1'-Aminophthalazin-7'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

3-(3'-Aminobenzisoxazol-5'-yl)-5-[[5-[(2'-aminosulfonyl)phenyl]pyrid-2-yl]aminocarbonyl]-5-(methylsulfonylaminomethyl)isoxazoline;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(2-fluoro-4-morpholinophenyl)aminocarbonyl]pyrazole;

CC(C)c1c[nH]c2c1cnc2C(=O)Nc3ccc(cc3)C4=CN(C(=O)N5C=CC=C5C4)C6=CC=CC=C6

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[[4-(2'-ethylimidazol-1'-yl)phenyl]aminocarbonyl]pyrazole;

NC(=O)c1cc(C(F)(F)F)nn1C2=CN(C(C)C)C(=N2)C3=CC=CC=C3

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[[4-[(2'-methoxymethyl)imidazol-1'-yl]phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[[4-[(2'-dimethylaminomethyl)imidazol-1'-yl]-2-fluorophenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[[(2-methoxy-4-(2'-methylimidazol-1'-yl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[[4-(2'-isopropylimidazol-1'-yl)-2-fluorophenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[[4-(2'-ethylimidazol-1'-yl)-2-fluorophenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[4-(2'-ethylimidazol-1'-yl)-2-fluorophenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[4-[(2'-methoxymethyl)imidazol-1'-yl]phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[4-[(2'-dimethylaminomethyl)imidazol-1'-yl]phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[4-[(2'-methyl)benzimidazol-1'-yl]phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[(2'-ethylimidazol-1'-yl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[4-(2'-ethylimidazol-1'-yl)-2,5-difluorophenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[(2-fluoro-4-morpholinophenyl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[(2'-isopropylimidazol-1'-yl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[4-(2'-methylimidazol-1'-yl)-2-fluorophenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[(2'-aminosulfonyl-3-amino-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[(2'-aminosulfonyl-3-nitro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[4-(2'-methylimidazol-1'-yl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[2-dimethyl-4-(N-pyrrolidinocarbonyl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[2-pyrrolidino-4-(N-pyrrolidinocarbonyl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[2-fluoro-4-(N-pyrrolidinocarbonyl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[(2'-aminosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[5-[(2'-methylsulfonyl)phenyl]pyrimid-2-yl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[[(2'-methylsulfonyl)-3-fluoro-[1,1']-biphen-4-yl]aminocarbonyl]pyrazole;

CCN1C=CC=C(C=C1C(=O)N2C=CC=CC=C2C3=CC=CC=C3C4=CC=CC=C4C5=CC=CC=C5C6=CC=CC=C6C7=CC=CC=C7C8=CC=CC=C8C9=CC=CC=C9C10=CC=CC=C10C11=CC=CC=C11C12=CC=CC=C12C13=CC=CC=C13C14=CC=CC=C14C15=CC=CC=C15C16=CC=CC=C16C17=CC=CC=C17C18=CC=CC=C18C19=CC=CC=C19C20=CC=CC=C20C21=CC=CC=C21C22=CC=CC=C22C23=CC=CC=C23C24=CC=CC=C24C25=CC=CC=C25C26=CC=CC=C26C27=CC=CC=C27C28=CC=CC=C28C29=CC=CC=C29C30=CC=CC=C30C31=CC=CC=C31C32=CC=CC=C32C33=CC=CC=C33C34=CC=CC=C34C35=CC=CC=C35C36=CC=CC=C36C37=CC=CC=C37C38=CC=CC=C38C39=CC=CC=C39C40=CC=CC=C40C41=CC=CC=C41C42=CC=CC=C42C43=CC=CC=C43C44=CC=CC=C44C45=CC=CC=C45C46=CC=CC=C46C47=CC=CC=C47C48=CC=CC=C48C49=CC=CC=C49C50=CC=CC=C50C51=CC=CC=C51C52=CC=CC=C52C53=CC=CC=C53C54=CC=CC=C54C55=CC=CC=C55C56=CC=CC=C56C57=CC=CC=C57C58=CC=CC=C58C59=CC=CC=C59C60=CC=CC=C60C61=CC=CC=C61C62=CC=CC=C62C63=CC=CC=C63C64=CC=CC=C64C65=CC=CC=C65C66=CC=CC=C66C67=CC=CC=C67C68=CC=CC=C68C69=CC=CC=C69C70=CC=CC=C70C71=CC=CC=C71C72=CC=CC=C72C73=CC=CC=C73C74=CC=CC=C74C75=CC=CC=C75C76=CC=CC=C76C77=CC=CC=C77C78=CC=CC=C78C79=CC=CC=C79C80=CC=CC=C80C81=CC=CC=C81C82=CC=CC=C82C83=CC=CC=C83C84=CC=CC=C84C85=CC=CC=C85C86=CC=CC=C86C87=CC=CC=C87C88=CC=CC=C88C89=CC=CC=C89C90=CC=CC=C90C91=CC=CC=C91C92=CC=CC=C92C93=CC=CC=C93C94=CC=CC=C94C95=CC=CC=C95C96=CC=CC=C96C97=CC=CC=C97C98=CC=CC=C98C99=CC=CC=C99C100=CC=CC=C100C101=CC=CC=C101C102=CC=CC=C102C103=CC=CC=C103C104=CC=CC=C104C105=CC=CC=C105C106=CC=CC=C106C107=CC=CC=C107C108=CC=CC=C108C109=CC=CC=C109C110=CC=CC=C110C111=CC=CC=C111C112=CC=CC=C112C113=CC=CC=C113C114=CC=CC=C114C115=CC=CC=C115C116=CC=CC=C116C117=CC=CC=C117C118=CC=CC=C118C119=CC=CC=C119C120=CC=CC=C120C121=CC=CC=C121C122=CC=CC=C122C123=CC=CC=C123C124=CC=CC=C124C125=CC=CC=C125C126=CC=CC=C126C127=CC=CC=C127C128=CC=CC=C128C129=CC=CC=C129C130=CC=CC=C130C131=CC=CC=C131C132=CC=CC=C132C133=CC=CC=C133C134=CC=CC=C134C135=CC=CC=C135C136=CC=CC=C136C137=CC=CC=C137C138=CC=CC=C138C139=CC=CC=C139C140=CC=CC=C140C141=CC=CC=C141C142=CC=CC=C142C143=CC=CC=C143C144=CC=CC=C144C145=CC=CC=C145C146=CC=CC=C146C147=CC=CC=C147C148=CC=CC=C148C149=CC=CC=C149C150=CC=CC=C150C151=CC=CC=C151C152=CC=CC=C152C153=CC=CC=C153C154=CC=CC=C154C155=CC=CC=C155C156=CC=CC=C156C157=CC=CC=C157C158=CC=CC=C158C159=CC=CC=C159C160=CC=CC=C160C161=CC=CC=C161C162=CC=CC=C162C163=CC=CC=C163C164=CC=CC=C164C165=CC=CC=C165C166=CC=CC=C166C167=CC=CC=C167C168=CC=CC=C168C169=CC=CC=C169C170=CC=CC=C170C171=CC=CC=C171C172=CC=CC=C172C173=CC=CC=C173C174=CC=CC=C174C175=CC=CC=C175C176=CC=CC=C176C177=CC=CC=C177C178=CC=CC=C178C179=CC=CC=C179C180=CC=CC=C180C181=CC=CC=C181C182=CC=CC=C182C183=CC=CC=C183C184=CC=CC=C184C185=CC=CC=C185C186=CC=CC=C186C187=CC=CC=C187C188=CC=CC=C188C189=CC=CC=C189C190=CC=CC=C190C191=CC=CC=C191C192=CC=CC=C192C193=CC=CC=C193C194=CC=CC=C194C195=CC=CC=C195C196=CC=CC=C196C197=CC=CC=C197C198=CC=CC=C198C199=CC=CC=C199C200=CC=CC=C200C201=CC=CC=C201C202=CC=CC=C202C203=CC=CC=C203C204=CC=CC=C204C205=CC=CC=C205C206=CC=CC=C206C207=CC=CC=C207C208=CC=CC=C208C209=CC=CC=C209C210=CC=CC=C210C211=CC=CC=C211C212=CC=CC=C212C213=CC=CC=C213C214=CC=CC=C214C215=CC=CC=C215C216=CC=CC=C216C217=CC=CC=C217C218=CC=CC=C218C219=CC=CC=C219C220=CC=CC=C220C221=CC=CC=C221C222=CC=CC=C222C223=CC=CC=C223C224=CC=CC=C224C225=CC=CC=C225C226=CC=CC=C226C227=CC=CC=C227C228=CC=CC=C228C229=CC=CC=C229C230=CC=CC=C230C231=CC=CC=C231C232=CC=CC=C232C233=CC=CC=C233C234=CC=CC=C234C235=CC=CC=C235C236=CC=CC=C236C237=CC=CC=C237C238=CC=CC=C238C239=CC=CC=C239C240=CC=CC=C240C241=CC=CC=C241C242=CC=CC=C242C243=CC=CC=C243C244=CC=CC=C244C245=CC=CC=C245C246=CC=CC=C246C247=CC=CC=C247C248=CC=CC=C248C249=CC=CC=C249C250=CC=CC=C250C251=CC=CC=C251C252=CC=CC=C252C253=CC=CC=C253C254=CC=CC=C254C255=CC=CC=C255C256=CC=CC=C256C257=CC=CC=C257C258=CC=CC=C258C259=CC=CC=C259C260=CC=CC=C260C261=CC=CC=C261C262=CC=CC=C262C263=CC=CC=C263C264=CC=CC=C264C265=CC=CC=C265C266=CC=CC=C266C267=CC=CC=C267C268=CC=CC=C268C269=CC=CC=C269C270=CC=CC=C270C271=CC=CC=C271C272=CC=CC=C272C273=CC=CC=C273C274=CC=CC=C274C275=CC=CC=C275C276=CC=CC=C276C277=CC=CC=C277C278=CC=CC=C278C279=CC=CC=C279C280=CC=CC=C280C281=CC=CC=C281C282=CC=CC=C282C283=CC=CC=C283C284=CC=CC=C284C285=CC=CC=C285C286=CC=CC=C286C287=CC=CC=C287C288=CC=CC=C288C289=CC=CC=C289C290=CC=CC=C290C291=CC=CC=C291C292=CC=CC=C292C293=CC=CC=C293C294=CC=CC=C294C295=CC=CC=C295C296=CC=CC=C296C297=CC=CC=C297C298=CC=CC=C298C299=CC=CC=C299C300=CC=CC=C300C301=CC=CC=C301C302=CC=CC=C302C303=CC=CC=C303C304=CC=CC=C304C305=CC=CC=C305C306=CC=CC=C306C307=CC=CC=C307C308=CC=CC=C308C309=CC=CC=C309C310=CC=CC=C310C311=CC=CC=C311C312=CC=CC=C312C313=CC=CC=C313C314=CC=CC=C314C315=CC=CC=C315C316=CC=CC=C316C317=CC=CC=C317C318=CC=CC=C318C319=CC=CC=C319C320=CC=CC=C320C321=CC=CC=C321C322=CC=CC=C322C323=CC=CC=C323C324=CC=CC=C324C325=CC=CC=C325C326=CC=CC=C326C327=CC=CC=C327C328=CC=CC=C328C329=CC=CC=C329C330=CC=CC=C330C331=CC=CC=C331C332=CC=CC=C332C333=CC=CC=C333C334=CC=CC=C334C335=CC=CC=C335C336=CC=CC=C336C337=CC=CC=C337C338=CC=CC=C338C339=CC=CC=C339C340=CC=CC=C340C341=CC=CC=C341C342=CC=CC=C342C343=CC=CC=C343C344=CC=CC=C344C345=CC=CC=C345C346=CC=CC=C346C347=CC=CC=C347C348=CC=CC=C348C349=CC=CC=C349C350=CC=CC=C350C351=CC=CC=C351C352=CC=CC=C352C353=CC=CC=C353C354=CC=CC=C354C355=CC=CC=C355C356=CC=CC=C356C357=CC=CC=C357C358=CC=CC=C358C359=

1-(3'-Aminobenzisoxazol-5'-yl)-5-[[(2'-methylsulfonyl)-3-fluoro-[1,1']-biphen-4-yl]aminocarbonyl]tetrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[[4-(2'-methylimidazol-1'-yl)phenyl]aminocarbonyl]tetrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]tetrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2-fluoro-4-(N-pyrrolidinocarbonyl)phenyl)aminocarbonyl]tetrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2-(N-pyrrolidino)-4-(N-pyrrolidinocarbonyl)phenyl)aminocarbonyl]tetrazole;

1-(1'-Amino-isoquinol-7'-yl)-5-[[2'-aminosulfonyl)-3-fluoro-
[1,1']-biphen-4-yl]aminocarbonyl]tetrazole;

1-(1'-Amino-isoquinol-7'-yl)-5-[[(2'-methylsulfonyl)-3-fluoro-
[1,1']-biphen-4-yl)aminocarbonyl]tetrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-
[(2' aminosulfonylphenyl)pyrimidin-2-
yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[4-(2'-methylimidazol-1'-yl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[4-(2'-methylimidazol-1'-yl)-2-fluorophenyl]-aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[4-(1'-methylimidazol-2'-yl)-2-fluorophenyl]amino-carbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[4-(2'-aminoimidazol-1'-yl)phenyl]aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(2'-dimethylaminomethyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

5 Ethyl 1-(3'-aminobenzisoxazol-5'-yl)-5-[(2'-aminosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole-3-carboxylate;

10 1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-aminosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole-3-carboxylic acid;

15 1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-aminosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole-3-carboxamide;

Ethyl 1-(3'-aminobenzisoxazol-5'-yl)-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole-3-carboxylate;

20 1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole-3-carboxylic acid;

25 1-(3'-Aminobenzisoxazol-5'-yl)-3-(hydroxymethyl)-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

30 1-(3'-Aminobenzisoxazol-5'-yl)-3-[dimethylaminomethyl]-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

35 Ethyl 1-(3'-aminobenzisoxazol-5'-yl)-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole-4-carboxylate;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole-4-carboxylic acid;

40 1-(1',2',3',4'-Tetrahydroisoquinol-7'-yl)-3-methyl-5-[(2'-aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

45 1-(1'-Amino-isoquinol-7'-yl)-3-[(2'-methylaminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]-5-methylpyrazole;

1-(4'-Amino-isoquinol-7'-yl)-3-methyl-5-[(2'-methylsulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

50 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2'-methylsulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;

1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2-fluoro-4-(N-pyrrolidinocarbonyl)-phenyl)carbonylamino]pyrazole;

a3
cont

0000-0000-0000-0000

- 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2'-
methysulfonyl-3-fluoro-[1,1']-biphen-4-
yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2'-
aminosulfonyl-[1,1']-biphen-4-yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2'-
aminosulfonyl-3-fluoro-[1,1']-biphen-4-
yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(5-(2'-
methysulfonylphenyl)pyrid-2-yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-methyl-5-[(2'-aminosulfonyl-3-
fluoro-[1,1']-biphen-4-yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-methyl-5-[(2'-methysulfonyl-3-
fluoro-[1,1']-biphen-4-yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2'-
aminosulfonyl-3-chloro-[1,1']-biphen-4-
yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2'-
aminosulfonyl-3-methyl-[1,1']-biphen-4-
yl)carbonylamino]pyrazole;
- 1-(1'-Amino-isoquinol-7'-yl)-3-trifluoromethyl-5-[(2'-
methylaminosulfonyl-[1,1']-biphen-4-
yl)carbonylamino]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-ethyl-5-[(2'-
methylaminosulfonyl-[1,1']-biphen-4-
yl)aminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-ethyl-5-[(2'-methysulfonyl-
[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-propyl-5-[(2'-aminosulfonyl-
[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-propyl-5-[(2'-
methylaminosulfonyl-[1,1']-biphen-4-
yl)aminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-propyl-5-[(2'-methysulfonyl-
[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-ethyl-5-[(2'-aminosulfonyl-3-
fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-ethyl-5-[(2'-methysulfonyl-3-
fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

- 1-(1'-Aminoisoquinol-7'-yl)-3-ethyl-5-[4-(N-pyrrolidinocarbonyl-1-yl)phenylaminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-trifluoromethyl-5-[4-(imidazol-1'-yl)phenylaminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-trifluoromethyl-5-[3-fluoro-4-(2-methylimidazol-1'-yl)phenylaminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-trifluoromethyl-5-[4-(2-methylimidazol-1'-yl)phenylaminocarbonyl]pyrazole;
- 1-(1'-Aminoisoquinol-7'-yl)-3-trifluoromethyl-5-[2-fluoro-4-(2-methylimidazol-1'-yl)phenylaminocarbonyl]pyrazole;
- 1-(3'-Aminobenzisoxazol-5'-yl)-3-methyl-5-[(2'-methylsulfonyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(2'-aminosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[2-fluoro-4-(N-pyrrolidinocarbonyl)phenylaminocarbonyl]pyrazole;
- 1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(5-(2'-aminosulfonylphenyl)pyrid-2-yl)aminocarbonyl]pyrazole;
- 1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(5-(2'-methylsulfonylphenyl)pyrimid-2-yl)aminocarbonyl]pyrazole;
- 1-(3'-Aminobenzisoxazol-5'-yl)-3-methyl-5-[(4-(pyrid-3'-yl)phenyl)aminocarbonyl]pyrazole;
- 1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(4-(pyrid-3'-yl-3-fluorophenyl)aminocarbonyl]pyrazole;
- 1-(3'-Aminoindazol-5'-yl)-3-trifluoromethyl-5-[(2'-aminosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(3'-Aminoindazol-5'-yl)-3-trifluoromethyl-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;
- 1-(3'-Aminoindazol-5'-yl)-3-trifluoromethyl-5-[2-fluoro-4-(N-pyrrolidinocarbonyl)phenylaminocarbonyl]pyrazole;
- 1-(3'-Aminoindazol-5'-yl)-3-methyl-5-[(4-(pyrid-3'-yl)phenyl)aminocarbonyl]pyrazole;
- 1-(3'-Aminoindazol-5'-yl)-3-trifluoromethyl-5-[(4-(pyrid-3'-yl-3-fluorophenyl)aminocarbonyl]pyrazole;

1-(3'-Aminomethylnaphth-2'-yl)-3-trifluoromethyl-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-hydroxymethyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-methylaminomethyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(2'-
bromomethyl-3-fluoro-[1,1']-biphen-4-
yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-pyridiniummethyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(2'-aminomethyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-N-pyrrolidinylmethyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

~~1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-imidazol-1"-yl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;~~

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-(((2'-(4"-
t-butoxycarbonyl)piperazin-1"-ylmethyl)-3-fluoro-[1,1']-
biphen-4-yl)aminocarbonyl)pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-(((2'-(N,N-dimethylamino)pyridiniummethyl)-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl)pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-piperazin-1"-yl)methyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

CN1C=NC(=C1)C(=O)N2C=CC=C(C=C2C3=CC=CC=C3C4=CC=CC=C4C5=CC=CC=C5C6=CC=CC=C6C7=CC=CC=C7C8=CC=CC=C8C9=CC=CC=C9C10=CC=CC=C10C11=CC=CC=C11C12=CC=CC=C12C13=CC=CC=C13C14=CC=CC=C14C15=CC=CC=C15C16=CC=CC=C16C17=CC=CC=C17C18=CC=CC=C18C19=CC=CC=C19C20=CC=CC=C20C21=CC=CC=C21C22=CC=CC=C22C23=CC=CC=C23C24=CC=CC=C24C25=CC=CC=C25C26=CC=CC=C26C27=CC=CC=C27C28=CC=CC=C28C29=CC=CC=C29C30=CC=CC=C30C31=CC=CC=C31C32=CC=CC=C32C33=CC=CC=C33C34=CC=CC=C34C35=CC=CC=C35C36=CC=CC=C36C37=CC=CC=C37C38=CC=CC=C38C39=CC=CC=C39C40=CC=CC=C40C41=CC=CC=C41C42=CC=CC=C42C43=CC=CC=C43C44=CC=CC=C44C45=CC=CC=C45C46=CC=CC=C46C47=CC=CC=C47C48=CC=CC=C48C49=CC=CC=C49C50=CC=CC=C50C51=CC=CC=C51C52=CC=CC=C52C53=CC=CC=C53C54=CC=CC=C54C55=CC=CC=C55C56=CC=CC=C56C57=CC=CC=C57C58=CC=CC=C58C59=CC=CC=C59C60=CC=CC=C60C61=CC=CC=C61C62=CC=CC=C62C63=CC=CC=C63C64=CC=CC=C64C65=CC=CC=C65C66=CC=CC=C66C67=CC=CC=C67C68=CC=CC=C68C69=CC=CC=C69C70=CC=CC=C70C71=CC=CC=C71C72=CC=CC=C72C73=CC=CC=C73C74=CC=CC=C74C75=CC=CC=C75C76=CC=CC=C76C77=CC=CC=C77C78=CC=CC=C78C79=CC=CC=C79C80=CC=CC=C80C81=CC=CC=C81C82=CC=CC=C82C83=CC=CC=C83C84=CC=CC=C84C85=CC=CC=C85C86=CC=CC=C86C87=CC=CC=C87C88=CC=CC=C88C89=CC=CC=C89C90=CC=CC=C90C91=CC=CC=C91C92=CC=CC=C92C93=CC=CC=C93C94=CC=CC=C94C95=CC=CC=C95C96=CC=CC=C96C97=CC=CC=C97C98=CC=CC=C98C99=CC=CC=C99C100=CC=CC=C100C101=CC=CC=C101C102=CC=CC=C102C103=CC=CC=C103C104=CC=CC=C104C105=CC=CC=C105C106=CC=CC=C106C107=CC=CC=C107C108=CC=CC=C108C109=CC=CC=C109C110=CC=CC=C110C111=CC=CC=C111C112=CC=CC=C112C113=CC=CC=C113C114=CC=CC=C114C115=CC=CC=C115C116=CC=CC=C116C117=CC=CC=C117C118=CC=CC=C118C119=CC=CC=C119C120=CC=CC=C120C121=CC=CC=C121C122=CC=CC=C122C123=CC=CC=C123C124=CC=CC=C124C125=CC=CC=C125C126=CC=CC=C126C127=CC=CC=C127C128=CC=CC=C128C129=CC=CC=C129C130=CC=CC=C130C131=CC=CC=C131C132=CC=CC=C132C133=CC=CC=C133C134=CC=CC=C134C135=CC=CC=C135C136=CC=CC=C136C137=CC=CC=C137C138=CC=CC=C138C139=CC=CC=C139C140=CC=CC=C140C141=CC=CC=C141C142=CC=CC=C142C143=CC=CC=C143C144=CC=CC=C144C145=CC=CC=C145C146=CC=CC=C146C147=CC=CC=C147C148=CC=CC=C148C149=CC=CC=C149C150=CC=CC=C150C151=CC=CC=C151C152=CC=CC=C152C153=CC=CC=C153C154=CC=CC=C154C155=CC=CC=C155C156=CC=CC=C156C157=CC=CC=C157C158=CC=CC=C158C159=CC=CC=C159C160=CC=CC=C160C161=CC=CC=C161C162=CC=CC=C162C163=CC=CC=C163C164=CC=CC=C164C165=CC=CC=C165C166=CC=CC=C166C167=CC=CC=C167C168=CC=CC=C168C169=CC=CC=C169C170=CC=CC=C170C171=CC=CC=C171C172=CC=CC=C172C173=CC=CC=C173C174=CC=CC=C174C175=CC=CC=C175C176=CC=CC=C176C177=CC=CC=C177C178=CC=CC=C178C179=CC=CC=C179C180=CC=CC=C180C181=CC=CC=C181C182=CC=CC=C182C183=CC=CC=C183C184=CC=CC=C184C185=CC=CC=C185C186=CC=CC=C186C187=CC=CC=C187C188=CC=CC=C188C189=CC=CC=C189C190=CC=CC=C190C191=CC=CC=C191C192=CC=CC=C192C193=CC=CC=C193C194=CC=CC=C194C195=CC=CC=C195C196=CC=CC=C196C197=CC=CC=C197C198=CC=CC=C198C199=CC=CC=C199C200=CC=CC=C200C201=CC=CC=C201C202=CC=CC=C202C203=CC=CC=C203C204=CC=CC=C204C205=CC=CC=C205C206=CC=CC=C206C207=CC=CC=C207C208=CC=CC=C208C209=CC=CC=C209C210=CC=CC=C210C211=CC=CC=C211C212=CC=CC=C212C213=CC=CC=C213C214=CC=CC=C214C215=CC=CC=C215C216=CC=CC=C216C217=CC=CC=C217C218=CC=CC=C218C219=CC=CC=C219C220=CC=CC=C220C221=CC=CC=C221C222=CC=CC=C222C223=CC=CC=C223C224=CC=CC=C224C225=CC=CC=C225C226=CC=CC=C226C227=CC=CC=C227C228=CC=CC=C228C229=CC=CC=C229C230=CC=CC=C230C231=CC=CC=C231C232=CC=CC=C232C233=CC=CC=C233C234=CC=CC=C234C235=CC=CC=C235C236=CC=CC=C236C237=CC=CC=C237C238=CC=CC=C238C239=CC=CC=C239C240=CC=CC=C240C241=CC=CC=C241C242=CC=CC=C242C243=CC=CC=C243C244=CC=CC=C244C245=CC=CC=C245C246=CC=CC=C246C247=CC=CC=C247C248=CC=CC=C248C249=CC=CC=C249C250=CC=CC=C250C251=CC=CC=C251C252=CC=CC=C252C253=CC=CC=C253C254=CC=CC=C254C255=CC=CC=C255C256=CC=CC=C256C257=CC=CC=C257C258=CC=CC=C258C259=CC=CC=C259C260=CC=CC=C260C261=CC=CC=C261C262=CC=CC=C262C263=CC=CC=C263C264=CC=CC=C264C265=CC=CC=C265C266=CC=CC=C266C267=CC=CC=C267C268=CC=CC=C268C269=CC=CC=C269C270=CC=CC=C270C271=CC=CC=C271C272=CC=CC=C272C273=CC=CC=C273C274=CC=CC=C274C275=CC=CC=C275C276=CC=CC=C276C277=CC=CC=C277C278=CC=CC=C278C279=CC=CC=C279C280=CC=CC=C280C281=CC=CC=C281C282=CC=CC=C282C283=CC=CC=C283C284=CC=CC=C284C285=CC=CC=C285C286=CC=CC=C286C287=CC=CC=C287C288=CC=CC=C288C289=CC=CC=C289C290=CC=CC=C290C291=CC=CC=C291C292=CC=CC=C292C293=CC=CC=C293C294=CC=CC=C294C295=CC=CC=C295C296=CC=CC=C296C297=CC=CC=C297C298=CC=CC=C298C299=CC=CC=C299C300=CC=CC=C300C301=CC=CC=C301C302=CC=CC=C302C303=CC=CC=C303C304=CC=CC=C304C305=CC=CC=C305C306=CC=CC=C306C307=CC=CC=C307C308=CC=CC=C308C309=CC=CC=C309C310=CC=CC=C310C311=CC=CC=C311C312=CC=CC=C312C313=CC=CC=C313C314=CC=CC=C314C315=CC=CC=C315C316=CC=CC=C316C317=CC=CC=C317C318=CC=CC=C318C319=CC=CC=C319C320=CC=CC=C320C321=CC=CC=C321C322=CC=CC=C322C323=CC=CC=C323C324=CC=CC=C324C325=CC=CC=C325C326=CC=CC=C326C327=CC=CC=C327C328=CC=CC=C328C329=CC=CC=C329C330=CC=CC=C330C331=CC=CC=C331C332=CC=CC=C332C333=CC=CC=C333C334=CC=CC=C334C335=CC=CC=C335C336=CC=CC=C336C337=CC=CC=C337C338=CC=CC=C338C339=CC=CC=C339C340=CC=CC=C340C341=CC=CC=C341C342=CC=CC=C342C343=CC=CC=C343C344=CC=CC=C344C345=CC=CC=C345C346=CC=CC=C346C347=CC=CC=C347C348=CC=CC=C348C349=CC=CC=C349C350=CC=CC=C350C351=CC=CC=C351C352=CC=CC=C352C353=CC=CC=C353C354=CC=CC=C354C355=CC=CC=C355C356=CC=CC=C356C357=CC=CC=C357C358=CC=CC=C358C359=

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-morpholinomethyl-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(3-fluoro-2'-(N-methyl-N-methoxyamino)-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-methylsulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]triazole;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-aminosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]triazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-trifluoromethyl-5-[(2'-methylaninosulfonyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-5-[(2'-dimethylaminomethyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]tetrazole;

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[(2'-dimethylaminomethyl-3-fluoro-[1,1']-biphen-4-yl)aminocarbonyl]pyrazole; and,

1-(3'-Aminobenzisoxazol-5'-yl)-3-ethyl-5-[4'-(2''-dimethylaminomethylimidazol-1''-yl)-2''-fluorophenyl)aminocarbonyl]pyrazole;

or pharmaceutically acceptable salt thereof.

7. A pharmaceutical composition, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound according to Claim 1 or a pharmaceutically acceptable salt thereof.

8. A pharmaceutical composition, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound according to Claim 2 or a pharmaceutically acceptable salt thereof.

9. A pharmaceutical composition, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound according to Claim 3 or a pharmaceutically acceptable salt thereof.

10. A pharmaceutical composition, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound according to Claim 4 or a pharmaceutically acceptable salt thereof.

11. A pharmaceutical composition, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound according to Claim 5 or a pharmaceutically acceptable salt thereof.

5

12. A pharmaceutical composition, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound according to Claim 6 or a pharmaceutically acceptable salt thereof.

10

13. A method for treating or preventing a thromboembolic disorder, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound according to Claim 1 or a pharmaceutically acceptable salt thereof.

15

14. A method for treating or preventing a thromboembolic disorder, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound according to Claim 2 or a pharmaceutically acceptable salt thereof.

20

15. A method for treating or preventing a thromboembolic disorder, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound according to Claim 3 or a pharmaceutically acceptable salt thereof.

25

16. A method for treating or preventing a thromboembolic disorder, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound according to Claim 4 or a pharmaceutically acceptable salt thereof.

30

17. A method for treating or preventing a thromboembolic disorder, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound

35

according to Claim 5 or a pharmaceutically acceptable salt thereof.

18. A method for treating or preventing a thromboembolic disorder, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound according to Claim 6 or a pharmaceutically acceptable salt thereof.

A⁴₅
Cont